



Revision: 2

Last change: 08/03/05

**EC SAFETY DATA SHEET**

1. IDENTIFICATION OF PRODUCT AND OF THE COMPANY	
Trade name:	IBERPAN (MDF board)
Company:	Financiera Maderera, S. A. Ctra. A. Coruña-Tui Km 57 E 15700 Santiago de Compostela (SPAIN)
Phone number:	+34 981 570 055

2. COMPOSITION/ INFORMATION OF THE INGREDIENTS				
	CAS No	Hazards symbols	R- Phrases	Concentration
- Timber				80-88 %
- Urea-Formaldehyde resin				7-11 %
- Water				4-8 %
- Paraffin wax				0,4-0,8 %
- Formaldehyde	50-0-00	Xn	R40-43	< 0,03 %

3. HAZARDS IDENTIFICATION
No hazards are described during handling of boards.
During manipulation of boards (cutting, machining, sanding, ..) dust wood or traces of formaldehyde could be liberated.
Risk of weak irritation to the skin or respiratory system could be possible in some of these cases

4. FIRST AID MEASURES
In case of fire or irritation, move exposed people to a well-ventilated place.
If it is necessary, summon doctor.

5. FIRE FIGHTING MEASURES	
Special hazards:	Not classed as flammable. Combustion will evolve carbon dioxide (CO <sub>2</sub> ) or carbon monoxide (CO).
Protective equipment:	A self contained breathing apparatus and suitable protective clothing should be worn in big fires.
Extinguishing agents:	Water, foam or dry powder.

6. ACCIDENTAL RELEASE MEASURES
Not applicable

7. HANDLING AND STORAGE	
Safe handling advice:	Do not storage boards higher than 4 m. Boards could fall of. Avoid carry boards without mechanical help. Back injuries could be occasionated.
Requirements for storage rooms:	Storage area has to be indoor, well-ventilated and damp free.

Revision: 1

Last change: 16/12/02

## EC SAFETY DATA SHEET

<p><b>8. EXPOSURE CONTROLS/ PERSONAL PROTECTION</b></p> <p><i>Applicable as long as boards are manipulated (sanding, machining, cutting...)</i></p> <p><b>Occupational exposure limits</b></p> <p>See local requirements, if occupational exposure limits are available.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 30%;">Dust wood:</td> <td style="width: 20%;">TLV-TWA:</td> <td style="width: 50%;">5 mg/m<sup>3</sup></td> </tr> <tr> <td>Formaldehyde:</td> <td>TLV-STEL:</td> <td>0,3 ppm, 0,37 mg/m<sup>3</sup></td> </tr> </table> <p><b>Technical measures:</b></p> <p>Where suitable engineering controls are not fitted or inadequate, wear suitable protective equipment.</p> <p><b>Personal protection:</b></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 30%;">Respiratory protec.:</td> <td style="width: 70%;">Wear suitable respiratory protective equipment if exposure to levels above the occupational exposure limit is likely.</td> </tr> <tr> <td>Eye protection:</td> <td>Wear eye/face protection..</td> </tr> <tr> <td>Hand protection:</td> <td>Wear suitable gloves.</td> </tr> </table>	Dust wood:	TLV-TWA:	5 mg/m <sup>3</sup>	Formaldehyde:	TLV-STEL:	0,3 ppm, 0,37 mg/m <sup>3</sup>	Respiratory protec.:	Wear suitable respiratory protective equipment if exposure to levels above the occupational exposure limit is likely.	Eye protection:	Wear eye/face protection..	Hand protection:	Wear suitable gloves.											
Dust wood:	TLV-TWA:	5 mg/m <sup>3</sup>																					
Formaldehyde:	TLV-STEL:	0,3 ppm, 0,37 mg/m <sup>3</sup>																					
Respiratory protec.:	Wear suitable respiratory protective equipment if exposure to levels above the occupational exposure limit is likely.																						
Eye protection:	Wear eye/face protection..																						
Hand protection:	Wear suitable gloves.																						
<p><b>9. PHYSICAL AND CHEMICAL PROPERTIES</b></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 30%;">Form:</td> <td style="width: 70%;">solid</td> </tr> <tr> <td>Colour:</td> <td>brown</td> </tr> <tr> <td>Odour:</td> <td>wood</td> </tr> <tr> <td>Boiling point:</td> <td>no data</td> </tr> <tr> <td>Melting point:</td> <td>no data</td> </tr> <tr> <td>Autoignition temperature:</td> <td>175 °C</td> </tr> <tr> <td>Explosion limits:</td> <td>lower: not applicable higher: not applicable</td> </tr> <tr> <td>Density:</td> <td>575 - 750 kg/m<sup>3</sup></td> </tr> <tr> <td>Solubility in water:</td> <td>not applicable</td> </tr> <tr> <td>Explosive properties:</td> <td>not applicable</td> </tr> <tr> <td>Oxidizing properties:</td> <td>not applicable</td> </tr> </table>	Form:	solid	Colour:	brown	Odour:	wood	Boiling point:	no data	Melting point:	no data	Autoignition temperature:	175 °C	Explosion limits:	lower: not applicable higher: not applicable	Density:	575 - 750 kg/m <sup>3</sup>	Solubility in water:	not applicable	Explosive properties:	not applicable	Oxidizing properties:	not applicable	
Form:	solid																						
Colour:	brown																						
Odour:	wood																						
Boiling point:	no data																						
Melting point:	no data																						
Autoignition temperature:	175 °C																						
Explosion limits:	lower: not applicable higher: not applicable																						
Density:	575 - 750 kg/m <sup>3</sup>																						
Solubility in water:	not applicable																						
Explosive properties:	not applicable																						
Oxidizing properties:	not applicable																						
<p><b>10. STABILITY AND REACTIVITY</b></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 60%;">Hazardous reactions (conditions to avoid):</td> <td style="width: 40%;">None known</td> </tr> <tr> <td>Hazardous reactions (materials to avoid):</td> <td>None known</td> </tr> <tr> <td>Hazardous decomposition products:</td> <td>See Fire Fighting Measures.</td> </tr> </table>	Hazardous reactions (conditions to avoid):	None known	Hazardous reactions (materials to avoid):	None known	Hazardous decomposition products:	See Fire Fighting Measures.																	
Hazardous reactions (conditions to avoid):	None known																						
Hazardous reactions (materials to avoid):	None known																						
Hazardous decomposition products:	See Fire Fighting Measures.																						
<p><b>11. TOXICOLOGICAL INFORMATION</b></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 60%;">Acute toxicity (irritation, sensitisation, etc.):</td> <td style="width: 40%;">No data</td> </tr> <tr> <td>Delayed or chronic toxicological effects:</td> <td>Risk of weak irritation to skin or respiratory system could be possible.</td> </tr> </table>	Acute toxicity (irritation, sensitisation, etc.):	No data	Delayed or chronic toxicological effects:	Risk of weak irritation to skin or respiratory system could be possible.																			
Acute toxicity (irritation, sensitisation, etc.):	No data																						
Delayed or chronic toxicological effects:	Risk of weak irritation to skin or respiratory system could be possible.																						

Revision: 1

Last change: 16/12/02

**EC SAFETY DATA SHEET**

<b>12. ECOLOGICAL INFORMATION</b> Degradability: 100 % Mobility: Boards are not soluble in water Ecotoxicity: LC 50: no data IC 50: no data	
<b>13. DISPOSAL CONSIDERATIONS</b> Disposal should be in accordance with local, state or national legislation.	
<b>14. TRANSPORT INFORMATION</b> Road transport ADR/RID: not applicable Maritime transport IMDG: not applicable Air transport ICAO/IATA: not applicable	
<b>15. REGULATORY INFORMATION</b> Classification: not applicable Hazards labels: not applicable R-phrases: not applicable S-phrases: not applicable Hazardous ingredients: Formaldehyde (< 0,03 %)	
<b>16. OTHER INFORMATION</b> This data sheet was prepared in accordance with Directive 91/155/EC The above information is accurate to our knowledge and shall describe our product under the aspect of safety. They are not meant to guarantee specific properties of the product. The existing regulations are to be observed by our customers at their own responsibility.	